

AICA

**2025-2026
COLLECTION**



**4x8
feet**

New!



**3x8
feet**

CERARL TOUGHTOP

CERARL FIRE RETARDANT WALL PANEL
AND TOUGHTOP ELEGANT & DURABLE TOP TABLE

AICA

AICA's business concept for the 21st century is to open door to new challenges and innovation while strengthening environmental and design orientation. Especially, "environmental orientation" is the brand image of AICA products and contributes to building a sustainable society through offering environmentally and health friendly products.

51 Years of
Excellence

CERARL

FIRE RETARDANT WALL PANEL



CERARL fire retardant wall panels are made with melamine resin impregnated decorative layers and a specialized noncombustible core, formed by a high-temperature, high pressure press.

Offering superb rigidity and strength, they're favoured in public buildings as well as in the house.

Standard Size	Thickness
3'x 8' <-> 935 x 2455 mm (+2/-2)	3 mm
4' X 8' <-> 1235 x 2455 mm (+2/-2)	3 mm

*For product code starting with XKJF, tolerance is (+5/-5)

Composition of CERARL



*This image is only for illustration. Please wear protective equipment during actual construction.



NEW SIZE 4X8 ft
NEW PATTERNS
NEW SURFACE

*Surface visible varies depending on the finishing.



**HEAT
RESISTANT**



**HUMIDITY
RESISTANT**



**HIGH
DURABILITY**



**ANTI
BACTERIAL**



SIAA
ISO22196
Antibacterial
Inorganic antibacterial agent
Integrated
Surface Layer
ID0123211X0002X

The SIAA brand mark is borne on products that are under quality control and information disclosure by the guidelines of the Society of International sustaining growth for Antimicrobial Articles based on the results evaluated by ISO22196 method.

CERARL
FIRE RETARDANT WALL PANEL

TECHNICAL FEATURES

CERARL has been certified as fire retardant in 5 countries (Japan, China, Taiwan, Korea, Singapore) around the world, we can suggest CERARL as fire retardant wall panel with confidence.



**EASY TO
INSTALL**

**EASY
TO CLEAN**



Certificate ID05/00581

Certificate ID04/61548



T K D N

NEW PATTERNS



[NEW] XKAF 14200 ZMN 4x8 ft




[NEW] XKAF 14175 ZMN 4x8 ft



[NEW] XKAF 14158 ZMN 4x8ft





[NEW] XKAF 14201 ZMN

4x8ft



[NEW] XKAF 14202 ZMN

4x8ft



NEW SIZE 4X8



NEW SURFACE

[NEW] XKJF 14172 ZYN32 4x8ft



[NEW] XKJF 14062 ZYN32 4x8ft



[NEW] XKJF 14197 ZYN32 4x8ft





XKAF 14172 ZMN

4x8ft



XKAF 14197 ZMN

4x8ft





XKAF 14166 ZMN

4x8ft



XKAF 14159 ZMN

4x8ft



XKAF 14144 ZGN

4x8ft



XKAF 14198 ZMN

4x8ft



XKAF 14194 ZMN

4x8ft



XKAF 14161 ZMN

4x8ft



XKAF 14160 ZMN

4x8ft



XKAF 14165 ZMN

4x8ft






XKAF 14104 ZMN

4x8ft



XKAF 14195 ZMN

4x8ft



XKAF 14196 ZMN

4x8ft



WAF 14717 ZMN

4x8ft




WAF 14719 ZMN

4x8ft



WAF 14720 ZMN

4x8ft



XKAF 14146 ZMN

4x8ft



XKAF 14038 ZMN

4x8ft



SIZE 3X8



XKAF 14062 ZGN

3x8ft





XKKF 6000 ZMN

3x8ft



XKAF 14041 ZMN

3x8ft



XKAF 14145 ZMN

DISCONTINUED IN 2026

3x8ft



XKAF 14145 ZGN

3x8ft



XKAF 1996 ZMN

3x8ft



XKJF 14015 ZSN98

3x8ft



XKJF 14007 ZSN98

3x8ft



XKAF 14035 ZMN

DISCONTINUED IN 2026

3x8ft





XKAF 1806 ZMN
DISCONTINUED IN 2026

3x8ft




XKAF 14066 ZMN

3x8ft



XKAF 1983 ZMN

3x8ft



XKKF 6200 ZMN
DISCONTINUED IN 2026

3x8ft



XKAF 14103 ZMN
DISCONTINUED IN 2026

3x8ft



XKAF 1873 ZMN
DISCONTINUED IN 2026

3x8ft



XKAF 14157 ZMN

3x8ft




XKAF 1966 ZMN
DISCONTINUED IN 2026

3x8ft



MIX AND MATCH CERARL WITH TOUGHTOP



XKAF 14040 ZMN

3x8ft



TOUGHTOP

ELEGANT & DURABLE TOP TABLE

A new solution for interior top surface from AICA Indonesia, combination of luxury and strength. ToughTop is top surface material substitute for natural stone. With a lighter weight, good abrasion resistance, and the best choice of pattern, making ToughTop the main choice in table top materials.

Standard Size

Thickness

4'x 8' <-> 1230 x 2450 mm (+10/-10)

3 mm

Can custom finish to S83 (Super Matte)
*refer to AICA LAMINATE Catalog



HAK 14040 ZM83

4x8ft





ISO22196
Antibacterial

Inorganic antibacterial agent
Integrated
Surface Layer
ID0123211X0003Y

The SIAA brand mark is borne on products that are under quality control and information disclosure by the guidelines of the Society of International sustaining growth for Antimicrobial Articles based on the results evaluated by ISO22196 method.



Abrasion Resistant



Heat Resistant



Anti Bacteria




Easy to Clean



Durable



Easy to Install



[NEW] HAK 14004 ZS16

4x8ft



[NEW] HAK 14194 ZM83

MATCH WITH CERARL

4x8ft



[NEW] HAK 14156 ZS16

4x8ft



HAK 14158 ZM83

MATCH WITH CERARL

4x8ft





HAK 14150 ZM83

4x8ft 



HAK 14038 ZM83

MATCH WITH CERARL


4x8ft 



HAK 14144 ZM83

MATCH WITH CERARL

4x8ft 



HAK 14146 ZM83

MATCH WITH CERARL

4x8ft 



HAK 14159 ZM83

MATCH WITH CERARL

4x8ft 



HAK 14157 ZM83

MATCH WITH CERARL

4x8ft 



HAK 14172 ZM83

MATCH WITH CERARL

4x8ft 



HAK 14161 ZM83

MATCH WITH CERARL

4x8ft 

CERARL INSTALLATION



CERARL can be cut with 60 blades circular saw

For socket holes, drill a hole in all corners then cut with a small jigsaw

Sand the cut surface smooth

Apply double coated foam tape




Apply sealant AICA SE-8, and be sure to apply it around the outer part

Peel off double coated foam tape

Install CERARL vertically

Seal the gap with AICA FILLER

AICA FILLER



JKM 120T M10
White Matt

JKM 120T M11
Grey Matt



JKM 120T M12
Dark Grey Matt


JKM 120T M13
Beige Matt

JKM 120T M14
Dark Brown Matt

AICA SE-8



*When using Aica SE-8, a minimal of 4 mm height is needed



█ AICA SE-8
█ Double Coated Foam Tape

ToughTop INSTALLATION



ToughTop can be cut with 60 blades circular saw



Apply sealant AICA SE-8, and be sure to apply it around the outer part




Peel off double coated foam tape



Install ToughTop horizontally



Finishing for ToughTop edging



AICA SE-8
 Double Coated Foam Tape

ToughTop Edging Options





Scan for CERARL and ToughTop Table of Properties



Scan for CERARL and ToughTop Installation guide

PT AICA Indonesia

■ Head Office

Jl. Ir H. Juanda 318,
Bekasi 17113, Indonesia
P. 021 880 1391
F. 021 880 2807
E. aica.indonesia@aica.co.id
W. www.aica.co.id

■ Marketing Office

Trinity Tower, 15th floor
Jl. H. R. Rasuna Said
Blok IIB, Karet Kuningan,
Jakarta 12940, Indonesia
P. 021 2526 899
F. 021 3890 1943
E. info@aica.co.id

■ PT Marga Bharata

(Sole Distributor)
Jl. Pangeran Jayakarta, No. 101/A2
Mangga Dua Selatan,
Jakarta Pusat 10730 - Indonesia
P. 0216019838
F. 0216295312
E. info@margabharata.com



- 📷 [aica.id](https://www.instagram.com/aica.id)
- 📘 [aica.id](https://www.facebook.com/aica.id)
- 📺 AICA Indonesia Official

AIGGA

CERRARL TOUGHTOP

2025-2026